




Product Family Heavy Duty Natural Rubber Glove - Unsupported

100% high-density natural rubber has excellent tear and puncture resistance. 17 in length, 50 mil glove, beaded cuff, black



Product Numbers & Ordering Information

	Product Numbers	Details
	RI504	North Unsupported Natural Rubber Gloves Natural Rubber Gloves - black - 50 mil (1.3mm) thick - 18" (46cm) long - sizes: 9L, 10XL, 11XXL

Packaging Information

1 pair per pack, 48 pair per case

Overview

Key Features

100% high-density natural rubber has excellent tear and puncture resistance. 17 in length, 50 mil glove, beaded cuff, black

Recommended Industries/Use

- Chemical

Hazards

- Chemical

Regulations

- ANSI/ISEA 105 - ASTM D3389-05 Abrasion Test
- ANSI/ISEA 105 - ASTM F1790-97 Cut Test
- EN374 - Permeation and breakthrough time
- EN388 - Mechanical risks from abrasion, cut, tear and puncture
- EN420 - General Requirements - This standard defines the general requirements for protective gloves in terms of construction, fitness of purpose and safety.
- OSHA Standard -29 CFR 1915.157 - The employer shall ensure that each affected employee uses appropriate hand protection and other protective clothing where there is exposure to hazards such as skin absorption of harmful substances, severe cuts or lacerations, severe abrasions, punctures, chemical burns, thermal burns, harmful temperature extremes, and sharp objects.

Warranty Information

LIMITED WARRANTY. Except for any warranty for a particular product or part specifically stated in our product literature, we warrant all goods sold under this agreement against defects in materials and workmanship for one year from shipment. In the event of such defects, we will, at our sole option and as your exclusive remedy, repair or replace the defective product without charge, or refund the price you have paid. In order for this warranty to be effective, you must notify us within 15 days of discovery of the defect. you must return the defective product to us within the warranty period, properly packaged and with insurance and transportation costs prepaid. We will reship the product to you at our expense in the United States. Products will conform to Honeywell published specifications if properly used and maintained and will be free from defects in materials and/or workmanship. no changes to Honeywell published specifications will be valid without Honeywell written consent. This warranty does not cover defects which we determine are because of accident, alteration, modification, negligence, misuse, abuse failure to perform adequate maintenance, or normal wear and tear.

Specifications

Ambidextrous or Hand Specific

- Hand specific

Coating

- NA

Coating Color

- NA

Coating Pattern

- NA

Construction

- Multi-dip

Cuff

- Beaded

Gauge / mil

- 50 mil (1.30 mm)

Glove Type

- Chemical resistant

Length

- 17 inch (44 cm)

Liner

- NA

Material

- Natural rubber

Material Color

- Black

Overedge

- NA

Supported or Unsupported

- Unsupported

Surface Finish

- Smooth

Literature & Documents

2689_pdf

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/19327356512/1033.aspx

21/05/2010 North Safety Products Europe BV – The Netherlands – www.northsafety.com Ri504, Ri560 Product data sheet Description: Black heavy weight, unsupported natural latex gloves with a thickness of 1,3 mm and a length of 45

Heavy Duty Natural Rubber Glove - Unsupported

and 60 cm. Rolled cuff. Material: Latex Applications: Electroplating Shotblasting Cleaning Ar

2690_pdf

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/19327356513/1033.aspx

Page 1 of 1 RubberGloves_RI504&RI560_DC4 www.northsafety.com "CE" CONFORMITEITSVERKLARING "EC" DECLARATION OF CONFORMITY "CE" KONFORMITÄTSSERKLÄRUNG DECLARATION DE CONFORMITE "CE" De fabrikant: The manufacturer: Der Hersteller: Le fabricant: North Safety Products Europe B.V. Anodeweg 1 4338 RA Middelburg The Netherlands v

2692_pdf

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/19327356514/1033.aspx

USER INFORMATION HEAVY DUTY RUBBER GLOVES RI504 SERIES GAUNTLET STYLES GLOVE DESCRIPTION Heavy weight 52 mil (1.30mm) thick 100% natural latex glove, 17" (44cm) length gauntlet. Straight cuff. Anatomically shaped to provide good fit. Provide positive grip even on hard to grasp materials. Excellent for chemical plant, a

Technical Support

Technical Support is available Monday through Friday, 8:00 AM to 7:00 PM EST. 1.800.873.5242
hsptechsupport@honeywell.com