
Product Specification – Religrip Elasticated Tubular Bandage

Product Information

REF:	461/462/463/464/465/466/467/472/473/474/475						
Description:	Religrip Elasticated Tubular Bandage 10m/1m						
-	(Size: A, B, C, D, E, F, G)						
Manufacturer:	Reliance Medical LTD						
Address:	West Avenue, Talke, Stoke-on-Trent,						
	Staffordshire, ST7 1TL, United Kingdom.						
Licensed	UK						
Markets:							
Characteristic:	Supportive, comfortable, radial bandage. Ideal for soft tissue injuries, dislocations and sprains. Natural colour for general use. Range of sizes for all parts of the body. Ten metres in dispenser box.						
Indications:	Wrap bandage around limb for support and protection.						
Main	Cotton, Rubber.						
Materials:							
Storage	Store in a cool, dry place.						
Conditions:							



The information contained in this product specification is accurate for the above revision date. However, components are subject to change without notice, when another specification will be issued.

Document Title:
Product Specification:
Product References:
Revision:


Product Specification
Tubular Bandage
461/462/463/464/465/466/467/472/473/474/475
V2 (02.20)



Barcode Information

REF	UNIT	QUANTITY	BARCODE	DIMENSIONS	WEIGHT
461	Single	Single	5060131884615	170mmH x 55mmW x 170mmD	262.5g
	Case	Case of 32	15060131884612	430mmH x 350mmW x 350mmD	10.5kg
462	Single	Single	5060131884622	170mmH x 70mmW x 170mmD	437.5g
	Case	Case of 24	15060131884629	430mmH x 350mmW x 350mmD	10.5kg
463	Single	Single	5060131884639	170mmH x 80mmW x 170mmD	525g
	Case	Case of 20	15060131884636	430mmH x 350mmW x 350mmD	10.5kg
464	Single	Single	5060131884646	170mmH x 85mmW x 170mmD	525g
	Case	Case of 20	15060131884643	430mmH x 350mmW x 350mmD	10.5kg
465	Single	Single	5060131884653	170mmH x 100mmW x 170mmD	600g
	Case	Case of 20	15060131884650	500mmH x 350mmW x 350mmD	12kg
466	Single	Single	5060131884660	170mmH x 110mmW x 170mmD	625g
	Case	Case of 20	15060131884660	560mmH x 350mmW x 350mmD	12.5kg
467	Single	Single	5060131884667	175mmH x 170mmW x 130mmD	775g
	Case	Case of 20	15060131884674	670mmH x 350mmW x 350mmD	15.5kg
472	Single	Single	5060131884721	120mmH x 80mmW x 30mmD	40g
	Pack	Pack of 10	05060131884721	320mmH x 220mmW x 60mmD	400g
	Case	Case of 200	15060131884721	500mmH x 340mmW x 350mmD	8.6kg
473	Single	Single	5060131884738	150mmH x 100mmW x 35mmD	55g
	Pack	Pack of 10	05060131884738	270mmH x 280mmW x 20mmD	550g
	Case	Case of 200	15060131884735	500mmH x 340mmW x 35mmD	11kg
474	Single	Single	5060131884745	150mmH x 100mmW x 35mmD	55g
	Pack	Pack of 10	05060131884745	300mmH x 200mmW x 50mmD	550g
	Case	Case of 200	15060131884742	500mmH x 340mmW x 35mmD	11kg
475	Single	Single	5060131884752	150mmH x 100mmW x 35mmD	55g
	Pack	Pack of 10	05060131884752	300mmH x 190mmW x 50mmD	550g
	Case	Case of 200	15060131884759	480mmH x 440mmW x 35mmD	11kg

The information contained in this product specification is accurate for the above revision date. However, components are subject to change without notice, when another specification will be issued.



Additional Information

CHARACTERISTIC		SPECIFICATION					
	461	462	463	464	465	466	467
Size Ref	A	В	С	D	E	F	G
Size	4.5cm x	6.25cm	6.75cm	7.5cm x	8.75cm	10cm x	12cm x
	10m	x 10m	x 10m	10m	x 10m	10m	10m
Weight (gsm)		75±5					
Length (m)		≥10					

CHARACTERISTIC	SPECIFICATION					
	472	473	474	475		
Size Ref	В	С	D	Е		
Size	6.25cm x 1m	6.75cm x 1m	7.5cm x 1m	8.75cm x 1m		
Weight (gsm)		75±5				
Length (m)		≥1				

The information contained in this product specification is accurate for the above revision date. However, components are subject to change without notice, when another specification will be issued.