










LA 10 250 10



HS CODE
84798997
CARTON SIZE / PCS.
60 x 40 x 24 cm / 4
ACKNOWLEDGEMENT OF RECEIPT N°3266/1/2020 (ATEX)
Technická Inšpekcia, a.s. N°1354 Trnavská cesta 56, 821 01 Bratislava, Slovenská Republika

REF.	LA 10 250 10
LG 	10 m
CE	Machinery Directive 2006/42/EC
MAT. 	Polyamide  STEEL Ø4.5 mm
	X 1
+	ATEX Zone 1
	4.15 KG

LG



Longueur Charge maxi admissible
Length Max. allowed load
Longitud Carga máxima admisible
Lunghezza Carico massimale ammissibile
Länge Zulässige Höchstlast

MAT.





Matière carter / câble
 Material of casing / wire rope
Material carter / cable
 Material dei carter / cavo
Material Gehäuse / Seil








Nombre d'émerillons
 Number of swivels
Cantidad de eslabones giratorios
 Numero di tornichetti
Anzahl der Wirbel



LA 10 300 1X



HS CODE
84798997
CARTON SIZE / PCS.
60 x 40 x 24 cm / 3
ACKNOWLEDGEMENT OF RECEIPT N°3266/1/2020 (ATEX)
Technická Inšpekcia, a.s. N°1354 Trnavská cesta 56, 821 01 Bratislava, Slovenská Republika

REF.	LA 10 300 10	LA 10 300 15
LG	10 m	15 m
 MAX kg	MAX. 300 KG	
CE	Machinery Directive 2006/42/EC	
MAT. 	Polyamide	
	STEEL Ø4.8 mm	
 360°	X 1	
+	ATEX Zone 1	
	5.50 KG	6.00 KG

LG



Longueur Charge maxi admissible
Length Max. allowed load
Longitud Carga máxima admisible
Lunghezza Carico massimale ammissibile
Länge Zulässige Höchstlast

MAT.





Matière carter / câble
 Material of casing / wire rope
Material cárter / cable
 Material dei carter / cavo
Material Gehäuse / Seil








Nombre d'émerillons
 Number of swivels
Cantidad de eslabones giratorios
 Numero di tornichetti
Anzahl der Wirbel



LA 10 400 X0



HS CODE
84798997
CARTON SIZE / PCS.
80 x 40 x 24 cm / 2
ACKNOWLEDGEMENT OF RECEIPT N°3266/1/2020 (ATEX)
Technická Inšpekcia, a.s. N°1354 Trnavská cesta 56, 821 01 Bratislava, Slovenská Republika

REF.	LA 10 400 10	LA 10 400 20
LG	10 m	20 m
	MAX. 400 KG	
CE	Machinery Directive 2006/42/EC	
MAT. 	Polyamide	
	STEEL Ø 5.8 mm	
	X 1	
+	ATEX Zone 1	
	11.50 KG	12.95 KG

LG



Longueur Charge maxi admissible
Length Max. allowed load
Longitud Carga máxima admisible
Lunghezza Carico massimale ammissibile
Länge Zulässige Höchstlast

MAT.





Matière carter / câble
 Material of casing / wire rope
Material cárter / cable
 Material dei carter / cavo
Material Gehäuse / Seil








Nombre d'émerillons
 Number of swivels
Cantidad de eslabones giratorios
 Numero di tornichetti
Anzahl der Wirbel



LA 10 500 XX



HS CODE
84798997
CARTON SIZE / PCS.
80 x 40 x 24 cm / 1
ACKNOWLEDGEMENT OF RECEIPT N°3266/1/2020 (ATEX)
Technická Inšpekcia, a.s. N°1354 Trnavská cesta 56, 821 01 Bratislava, Slovenská Republika

REF.	LA 10 500 10	LA 10 500 15	LA 10 500 20
LG 	10 m	15 m	20 m
CE	Machinery Directive 2006/42/EC		
MAT. 	Polyamide  STEEL Ø 6 mm		
	X 1		
+	ATEX Zone 1		
	11.65 KG	12.20 KG	12.66 KG

LG



Longueur Charge maxi admissible
Length Max. allowed load
Longitud Carga máxima admisible
Lunghezza Carico massimale ammissibile
Länge Zulässige Höchstlast

MAT.



Matière carter / câble
 Material of casing / wire rope
Material cárter / cable
 Material dei carter / cavo
Material Gehäuse / Seil



Nombre d'émerillons
 Number of swivels
Cantidad de eslabones giratorios
 Numero di tornichetti
Anzahl der Wirbel