



PRODUCT NUMBER: 2094140  
**DEXGRIP - 2094140**



## Honeywell

### Overview

**Reference Number**

2094140

**Product Type**

Gloves

**Range**

General purpose

**Line**

Light & medium handling

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Agriculture
- Building and Construction
- Glass Industries
- Green Spaces
- Logistics
- Transportation
- Wood Industries

**Product Use**

Handling of slippery, damp or non greasy parts. Building. Transport. Logistics. Waste collection. Farming.

### Features & Benefits

**Feature**

Knitted glove cotton/polyamide grey. Palm and fingertips coated in blue color crinkled latex. Knitted wrist. Length : 26 cm.

**Benefit**

**COMFORT** The knitting technique helps to obtain a glove that conforms snugly to the hand and good dexterity. The glove offers maximum comfort and added sturdiness. The cotton thread absorbs perspiration thus provides added comfort. The ventilated back improves the glove's breathability. **RESISTANCE** The crinkled latex coating provides resistance to abrasion and perforation as well as an excellent grip.

## Technical Description

### Description

CE CATEGORY : II intermediary risks In accordance with standards : EN 420-2003: Basic standard. EN 388-2016: Mechanical risks. EN 407-2004: Thermal Risks CHARACTERISTICS Knitted glove cotton/polyamide grey. Palm and fingertips coated in blue color crinkled latex. Knitted wrist

### Product Technology

Knitted Coated

### Gauge

10

### Length

25 cm

### Thickness

1,5 / 1,8 mm

### Harmlessness

In conformity with the European standards.

### Dexterity

Class 5

### Sizes

7 to 11

## EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	2
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance (Coupe test)	1
Tear resistance	4
Puncture resistance	2
Cutting resistance (TDM test)	X

## Additional Information

### User Manual

UI 206

## Maintenance

### Storage Information

Minimum packagaing : 10 pairs.  
Cartons of 100 pairs.

**Care Instructions**

In order to keep its properties, this article should not be cleaned.

© Honeywell International Inc.